Attachment for PTO-948 (Rev. 03/01, or earlier) 6/18/01

The below text replaces the pre-printed text under the heading, "Information on How to Effect Drawing Changes," on the back of the PTO-948 (Rev. 03/01, or earlier) form.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

1. Correction of Informalities - 37 CFR 1.85

New corrected drawings must be filed with the changes incorporated therein. Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and centered within the top margin. If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings MUST be filed within the THREE MONTH shortened statutory period set for reply in the Notice of Allowability. Extensions of time may NOT be obtained under the provisions of 37 CFR 1.136(a) or (b) for filing the corrected drawings after the mailing of a Notice of Allowability. The drawings should be filed as a separate paper with a transmittal letter addressed to the Official Draftsperson.

2. Corrections other than Informalities Noted by Draftsperson on form PTO-948.

All changes to the drawings, other than informalities noted by the Draftsperson, MUST be made in the same manner as above except that, normally, a highlighted (preferably red ink) sketch of the changes to be incorporated into the new drawings MUST be approved by the examiner before the application will be allowed. No changes will be permitted to be made, other than correction of informalities, unless the examiner has approved the proposed changes.

Timing of Corrections

Applicant is required to submit the drawing corrections within the time period set in the attached Office communication. See 37 CFR 1.85(a).

Failure to take corrective action within the set period will result in ABANDONMENT of the application.

NOTICE OF DRAFTSPERSON'S PATENT DRAWING REVIEW

Color drawings are not acceptable until petition is granted. Fig(s) PHOTOGRAPHS. 37 CFR 1.84(b) I full-tone set is required. Fig(s) Poor quality (half-tone). Fig(s) Poor quality (half-tone). Fig(s) Poor quality (half-tone). Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not accepted. Fig(s) Solid black are Shade lines, pa 21.0 cm by 29.7 cm (DIN size A4) 21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Right (R) Dotter (R) Margins not acceptable. Fig(s) Brackets needed to show figure as one entity. Fig(s) Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Enlarged view not labeled separately or properly. Fig(s) SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) SIZE: OD SCALE. Solid Drawling Shadel or sectional portions of an object. Fig(s) SIZE COT DRAWING. SIZE: Shadel or shading sheets not mide and entity. Fig(s) Views not labeled separately or properly. Fig(s) Lead lines cross dated and solid ated shading sheets not number singling with seginning wit	ot appear on a horizontal, left-to-right fashion
Fig(s) — becomes the rip Pencil and non black ink not permitted. Fig(s) — 9. SCALE. 37 CFR 1.84(b) — Scale not large crowding wher reproduction. Fig(s) — Photographs may not be mounted. 37 CFR 1.84(e) — Photographs may not be mounted. 37 CFR 1.84(e) — Poor quality (half-tone). Fig(s) — 10. CHARACTER OF L 37 CFR 1.84(e) — Paper not flexible, strong, white, and durable. Fig(s) — Lines, numbers defined, clean, folds, copy machine marks not accepted. Fig(s) — Lines, numbers defined, clean, folds, copy machine marks not accepted be (too thin). 11. SHADING. 37 CFR 1.84(f) — Solid black are \$121.0 cm by 29.7 cm (DIN size A4) — \$21.0 cm by 29.7 cm (DIN size A4) — \$21.0 cm by 29.7 cm (DIN size A4) — \$21.6 cm by 27.9 cm (8 1/2 x 11 inches) — \$12.0 km/sing sheets not the same size. \$12.0 km/sing sheets not an acceptable size. Fig(s) — \$12.0 km/sing sheets not an acceptable margins: — \$12.0 km/sing sheets not an acceptable size. Fig(s) — \$12.0 km/sing sheets not an acceptable margins: — \$12.0 km/sing sheets not an acceptable size. Fig(s) — \$13.0 km/sing sheets not an acceptable size. Fig(s) — \$13.0 km/sing sheets not an acceptable size. Fig(s) — \$13.0 km/sing sheets not an acceptable. Fig(s) — \$13.0 km/sing sheets not an acceptable size. Fig(s) — \$13.0 km/sing sheets not an acceptable. Fig(s) — \$13.0 km/sing sheets not not sheet	
Pencil and non black ink not permitted. Fig(s) PHOTOGRAPHS. 37 CFR 1.84(b) Photographs may not be mounted. 37 CFR 1.84(e) Photographs may not be mounted. 37 CFR 1.84(e) Poor quality (half-tone). Fig(s) TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) SIZE: OF PAPER. 37 CFR 1.84(f): Acceptable sizes: Solid black shates 21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable margins: MARGINS. 37 CFR 1.84(g): Acceptable margins: Fig(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: Fig(s) Margins not acceptable. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 81/2 x 11 Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) VIEWS. 37 CFR 1.84(h) Bottom (B) VIEWS. 37 CFR 1.84(h) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Sectional designation should be noted with Arabic or	is either upright or turned so that the top e right side, except for graphs. Fig(s)
PHOTOGRAPHS. 37 CFR 1.84(b) 1 full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Poor quality (half-tone). Fig(s) TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: Fig(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: Fig(s) Margins not acceptable. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) VIEWS. 37 CFR 1.84(h) Bottom (B) VIEWS. 37 CFR 1.84(h) Bottom (B) VIEWS. 37 CFR 1.84(h) Paper not labeled separately or property. Fig(s) Sheats not labeled separately or property. Fig(s) Sheats not not beginning wift Fig(s) Views not labeled separately or property. Fig(s) Sectional designation should be noted with Arabic or Surface shading Surface shading Surface shading Surface shading Solid black sh: Sclid black sh:	
Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SiZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Moles. Top (T) Left (L) Right (R) Moles. Top (T) Right (R) Discardance of the Right (R) Reminder of the Right	rge enough to show mechanism without
Photographs may not be mounted. 37 CFR 1.84(e) Poor quality (half-tone). Fig(s) Proor quality (half-tone). Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Fig(s) Frasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) Mylar, velum paper is not acceptable sizes: SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: Solid black are Slade lines, pa 21.0 cm by 29.7 cm (DIN size A4) Shade lines, pa 21.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Sheet(s) Sheet(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: Fig(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: Fig(s) Figure legends Numbers and r SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) VIEWS. 37 CFR 1.84(h) Bottom (B) VIEWS. 37 CFR 1.84(h) Brackets needed to show figure as one entity. Fig(s) Brackets needed to show figure as one entity. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Surface shading Solid black shi	then drawing is reduced in size to two-thirds in
TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable margins: ARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) VIEWS. 37 CFR 1.84(h) Bottom (B) VIEWS. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Fig(s) Partial views. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Top ESIGN DRAWING Surface shadin Scild black sha 37 CFR 1.84 (h)(3) Lines, numbers defined, clean, Fig(s) Lines, numbers def	n.
Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (8 1/2 x 11 inches) 21.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable erize. Fig(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A5 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) VIEWS. 37 CFR 1.84(h) Brackets needed to show figure as one entity. Fig(s) Parallal views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Eraline mine with the same size one dated in the signing with beginning with Fig(s) Views not labeled separately or properly. Fig(s) SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or SIGIA Diana Acceptable in the size of the fig can be solid black show figure as one entity or properly. Fig(s) Sectional designation should be noted with Arabic or	
Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Sheet(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Enalty and the same should be noted with Arabic or Lead lines mis Sectional designation should be noted with Arabic or SCICI on the same acceptable of the same should be noted with Arabic or SCICI on the same acceptable of the same should be noted with Arabic or SCICI on the same acceptable of the same should be noted with Arabic or SCICI on the same should be noted with Arabic or SCICI on the same should be noted with Arabic or SCICI on the same should be noted with Arabic or SCICI on the same should be noted with Arabic or SCICI on the same should be noted with Arabic or SCICI on the same should be noted with Arabic or SCICI on the same should be noted with Arabic or SCICI on the same should be noted with Arabic or SCICI on the same should be noted with Arabic or SCICI on the same should be noted with Arabic or SCICI on the same should be noted with Arabic or SCICI on the same should be noted with Arabic or	F LINES, NUMBERS, & LETTERS.
Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 27.9 cm (8 1/2 x 11 inches) Shade lines, pa 21.6 cm by 27.9 cm (8 1/2 x 11 inches) 12. NUMBERS, LETTE All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackts needed to show figure as one entity. Fig(s) Lead lines mis Sectional designation should be noted with Arabic or Erasures, alterations, Fig(s) Surface shadin. Sectional designation should be noted with Arabic or Erasures, Alexandra, Fig(s) Solid black shade ines, pa Solid	
folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) Solid black are Solid black are Solid black sha Solid black sha Shade lines, pa 21.0 cm by 29.7 cm (B1/2 x 11 inches) All drawing sheets not the same size. All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SiZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SiZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) VIEWS. 37 CFR 1.84(h) Backets needed to show figure as one entity. Fig(s) Brackets needed to show figure as one entity. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Hatching not indicated for sectional portions of an object. Fig(s) Sufface shadin Sectional designation should be noted with Arabic or Fig(s) Sufface shadin Solid black shade Solid bla	bers & letters not uniformly thick and well
Mylar, velum paper is not acceptable (too thin). Fig(s) SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size. All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: MARGINS. 37 CFR 1.84(g): Acceptable margins: Figure legends Numbers and r Fig(s) SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Right (R) Sottom (B) VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Fig(s) SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sulface shading Solid black shadelines, pass of the sizes. Solid black shadelines, possible sizes: Solid black shadelines, possible shade ines, pass old black shadelines, possible sizes: Solid black shadelines, possible shade ines, pass old black shadelines, possible sizes: Solid black shadelines, possible shade ines, pass old black shadelines, pass old black shadelines, pass old black shadelines, pass old black shadelines, pass old pass possible sizes: Solid black shadelines, possible shade ines, pass possible sizes: Solid black shadelines, possible shade ines, pass possible sizes: Solid black shadelines, possible shadelines, pass possible sizes: Solid black shadelines, pass possible sizes: Solid black shadelines, pass pass pass pass pass pass pass pa	an, durable, and black (poor line quality).
Fig(s) Solid black are SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: Solid black sha	ED 1 94(m)
SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Right (R) SIEWS. 37 CFR 1.84(h) Numbers, lette 32 cm (1/8 inc Fig(s) VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Brackets needed to show figure as one entity. Fig(s) Sheets not num beginning with Fig(s) Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Solid black sha Shade lines, pa Sheet lines dire Sheet not num beginning with Sheets not num	areas pale. Fig(s)
21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: Fig(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) VIEWS. 37 CFR 1.84(h) NUMBERS, Detting the solution of the single size of the size of t	shading not permitted. Fig(s)
21.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: Fig(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) English alphab Fig(s) 13. LEAD LINES. 37 CFR 1.84 (h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Englaged view not labeled separately or properly. Fig(s) SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Solid black should in the same size. Since Tig(s) Solid black should be represented with Arabic or Solid black should be represented to should be noted with Arabic or Solid black should be represented to should be noted with Arabic or Solid black should be represented to should be noted with Arabic or Solid black should be represented to should be noted with Arabic or	, pale, rough and blurred. Fig(s)
All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: Fig(s) Figure legends Numbers and r Fig(s) SIZE: A4 Size Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Fig	TERS, & REFERENCE CHARACTERS.
Drawings sheets not an acceptable size. Fig(s) Fig(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: Figure legends Numbers and r Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s)	
MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) English alphab Fig(s) Sheets not num beginning with Fig(s) Fig(s) SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Solid black shi	nd reference characters not plain and legible.
Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 84 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Solid black shi	- F. (2)
Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: B1/2 x 11 Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) VIEWS. 37 CFR 1.84(h) Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Partial views not labeled separately or properly. Fig(s) English alphab Fig(s) Numbers, lette 32 cm (1/8 inc Fig(s) 13. LEAD LINES. 37 C Lead lines cros correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Surface shading Sectional designation should be noted with Arabic or Solid black shades	nds are poor. Fig(s)
SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Right (R) Right (R) Right (R) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Fig(s) Views not labeled separately or properly. Fig(s) English alphab Fig(s) Left (L) 3.2 cm (1/8 inc Fig(s) Lead lines cros Lead lines one Sheets not num beginning with Fig(s) Fig(s) Fig(s) Fig(s) Sinum Berrind OF S Views not labeled separately or properly. Fig(s) Fig(s) SectionAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Solid black should	nd reference characters not oriented in the tion as the view. 37 CFR 1.84(p)(1)
Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Fig(s) Sectional designation should be noted with Arabic or English alphab Figs Numbers. Signs Numbers, lette 13. LEAD LINES. 37 CFR 1.84 (n) is correctly as a correctly in the correctly as a corre	ion as the view. 37 CFR 1.07(p)(1)
SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s)	habet not used. 37 CFR 1.84(p)(2)
Margins not acceptable. Fig(s)	
Top (T) Left (L)	etters and reference characters must be at least
. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or 13. LEAD LINES. 37 C Lead lines cros Lead lines cros Sheets not num beginning with Views not labeled separately or properly. 15. NUMBERING OF V Views not num beginning with Views not num beginning with Corrections. 3 Corrections not dated 16. CORRECTIONS. 3 Corrections not dated 17. DESIGN DRAWING Surface shading.	inch) in height. 37 CFR 1.84(p)(3)
REMINDER: Specification may require revision to	
correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Surface shading Sectional designation should be noted with Arabic or	
Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or 14. NUMBERING OF S Sheets not num beginning with beginning with beginning with 15. NUMBERING OF S Circuit on the sequence of the s	cross each other. Fig(s)
Brackets needed to show figure as one entity. Fig(s) beginning with Views not labeled separately or properly. Fig(s) Views not labeled separately or properly. Fig(s) Views not number of the beginning with beginning with beginning with beginning with beginning with separately or properly. Fig(s) 16. CORRECTIONS. 3 Corrections not dated SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) dated Hatching not indicated for sectional portions of an object. Fig(s) Surface shading Sectional designation should be noted with Arabic or Solid black shading solid black shading sectional designation should be noted with Arabic or Solid black shading shading sectional designation should be noted with Arabic or Solid black shading sh	missing. Fig(s)
Fig(s) beginning with Views not labeled separately or properly. Fig(s) 15. NUMBERING OF V Fig(s) Views not num Enlarged view not labeled separetely or properly. Fig(s) 16. CORRECTIONS. 3 Corrections no dated Hatching not indicated for sectional portions of an object. Fig(s) 2 Surface shading Sectional designation should be noted with Arabic or beginning with CORRECTIONS. 3 Corrections no dated 17. DESIGN DRAWING Surface shading Sectional designation should be noted with Arabic or	numbered consecutively, and in Arabic numerals
Views not labeled separately or properly. Fig(s) Enlarged view not labeled separetely or properly. Enlarged view not labeled separetely or properly. Fig(s) 16. CORRECTIONS. 3' Corrections not dated 17. DESIGN DRAWING Surface shading not indicated for sectional portions of an object. Fig(s) Surface shading Sectional designation should be noted with Arabic or Solid black ships	with number 1. Sheet(s)
Fig(s) Views not num Enlarged view not labeled separetely or properly. beginning with Fig(s) 16. CORRECTIONS. 3 Corrections no dated Hatching not indicated for sectional portions of an object. Fig(s) 5urface shadin Sectional designation should be noted with Arabic or 5views not num Sectional designation should be noted with Arabic or 5views not num Sectional designation should be noted with Arabic or 5views not num Sectional designation should be noted with Arabic or 5views not num Sectional designation should be noted with Arabic or 5views not num Sectional designation should be noted with Arabic or 5views not num Sectional designation should be noted with Arabic or 5views not num Sectional designation should be noted with Arabic or 5views not num Sectional designation should be noted with Arabic or 5views not num Sectional designation should be noted with Arabic or 5views not num Sectional designation should be noted with Arabic or 5views not num Sectional designation should be noted with Arabic or 5views not num Sectional designation should be noted with Arabic or 5views not num Sectional designation should be noted with Arabic or 5views not num Sectional designation should be noted with Arabic or 5views not num Sectional designation should be noted with Arabic or 5views not num Sectional designation should be noted with Arabic or 5views not num Sectional designation should be noted with Arabic or 5views number	F VIEWS. 37 CFR 1.84(u)
Enlarged view not labeled separetely or properly. Fig(s) 16. CORRECTIONS. 3' Corrections of an object. SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) 41	numbered consecutively, and in Arabic numerals,
SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Corrections no dated 17. DESIGN DRAWING Surface shadin Solid black shadin	with number 1. Fig(s)
. SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Surface shadin Sectional designation should be noted with Arabic or Solid black sh:	
Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Hatching not indicated for sectional portions of an object. Surface shadin Solid black shi	s not made from prior PTO-948
Fig(s) Surface shadin Sectional designation should be noted with Arabic or Solid black shadin	1100 11 0ED 1 161
Sectional designation should be noted with Arabic or Solid black should be noted with Arabic or	ading shown not appropriate. Fig(s)
	shading not used for color contrast.
Koman numocis. Fig(s)	
	
·	

REVIEWER_	Draftsman: Son Lam (703)308-0366	DATE <u>02/06/03</u>	TELEPHONE NO.
ATTACHMEN	T TO PAPER NO		

REMINDER

Drawing changes may also require changes in the specification, e.g., if Fig. 1 is changed to Fig 1A, Fig. 1B, Fig.1C, etc., the specification, at the Brief Description of the Drawing, must likewise be changed. Please make such changes by 37 CFR 1.312 Amendment at the time of submitting drawings.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

1. Correction of Drawings - 37 CFR 1.85

File new drawings with the changes incorporated therein. Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and centered within the top margin. The drawing should be filed as a separate paper with a transmittal letter addressed to the Drawing Reveiw Branch.

2. Timing for Corrections

Applicant is required to submit acceptable corrected drawings within the three-month shortened statutory period set in the Notice of Allowability (PTOL-37).

Failure to take corrective action within set period will result in ABANDONMENT of the Application.

3. Corrections other than Defects Noted by the Drawing Review Branch on the Form PTO-948

All changes to the drawings, other than defects noted by the Drawing Review Branch, MUST be approved by the examiner before the application will be allowed. No changes will be permitted other than correction of defects, unless the examiner has approved the proposed changes.